

PRODUCT DATA SHEET

VENOS -SAE 15W-40 API CI-4/SM - PREMIUM GASOLINE AND DIESEL ENGINE

DESCRIPTION

V E N O S SAE 15W-40 API CI-4/SM -Premium motor oil offers exceptional engine protection with its advanced formula.Designed for various driving conditions, it maintains viscosity stability, minimizing friction and wear. This high-quality lubricant ensures optimal performance and longevity for your engine.

APPLICATIONS

15W40 premium is suitable for a wide range of vehicles, including trucks, SUVs, and heavy-duty equipment. Designed for both Diesel and gasoline engines, it offers reliable lubrication, ensuring smooth operation and enhanced protection against wear and tear. Perfect for demanding applications, providing consistent performance and engine longevity.

FEATURES AND ADVANTAGES

- Custom-formulated to enhance engine performance
- Keep the engine clean and shield it from corrosion, rust, sludge, and disappearance
- Achieve Japan engine oil standards

PRODUCT PERFORMANCE CLAIM

- API CI-4/SM
- ACEA A3/B3-04,A3/B4-04
- MB 229.5
- VW505 01/ VW 502 00

TECHNICAL DATA PROPERTIES

TEST PARAMETER	METHOD	UNIT	RESULT
Viscosity Grade	SAEJ300	· .	15W40
Color	ASTM D1500	1	2.0
Density @15°C	ASTM D4052	kg/m3	0.875
Kinematic Viscosity @40°C	ASTM D7042	mm²/s	103.50
Kinematic Viscosity @100°C	ASTM D7042	mm²/s	14.55
Viscosity Index	ASTM D2270	-	135.0
Flash Point, °C	IP523	°C -	225
Total Base Number	ASTM D2896	(mg koh/gm)	6.50
Pour Point,°C	ASTM D97	°C	-30
Cold Crank Visc @ -20°C	ASTM D5293	(cp)	6550

VALUES SHOWN HERE ARE TYPICAL AND MAY VARY

Health and Safety

Based on available information, this product is not expected to produce adverse effects on health when used for the intended application and the recommendations provided in the Material Safety Data Sheet (MSDS) are followed. MSDS's are available upon request through your sales contract office, or via the Internet. This product should not be used for purposes other than its intended use. If disposing of used product, take care to protect the environment.



