



PRODUCT DATA SHEET

VENOS -SAE 5W-30 API SP/CK-4/SM - SEMI SYNTHETIC PLATINUM

DESCRIPTION

VENOS SAE 5W-30 API SP/CK-4/SEMI SYNTHETIC PLATINUM is a motor oil with a viscosity grade of 5W30, providing optimal lubrication for engines. Blending conventional and synthetic base oils, it offers enhanced protection against friction, wear, and deposits. Suitable for various driving conditions, it ensures engine longevity and efficiency.

APPLICATIONS

5W30 semi is ideal for modern engines, 5W30 semi is designed for year-round use. Its versatile application provides excellent protection in both high and low temperatures. Use for gasoline and diesel engines, ensuring reliable lubrication and optimal performance in diverse driving conditions.

FEATURES AND ADVANTAGES

- Custom-formulated to enhance engine performance
- Keep the engine clean and shield it from corrosion, rust, sludge, and disappearance
- Achieve Japan engine oil standards

PRODUCT PERFORMANCE CLAIM

- API SP/CF, ILSAC GF-6A
- PORSCHE "All seasons Engine Oil"
- MB 229.5, ACEA C3-10
- MIL_L_4615D & CID A-A-520398



TECHNICAL DATA PROPERTIES

TEST PARAMETER	METHOD	UNIT	RESULT
Viscosity Grade	SAEJ300	-	5W30
Color	ASTM D1500	-	2.0
Density @15°C	ASTM D4052	kg/m ³	0.860
Kinematic Viscosity @40°C	ASTM D7042	mm ² /s	57.00
Kinematic Viscosity @100°C	ASTM D7042	mm ² /s	10.65
Viscosity Index	ASTM D2270	-	164.0
Flash Point, °C	IP523	°C	220
Total Base Number	ASTM D2896	(mg koh/gm)	8.20
Pour Point, °C	ASTM D97	°C	-38
Cold Crank Visc @ -30°C	ASTM D5293	(cp)	6120

VALUES SHOWN HERE ARE TYPICAL AND MAY VARY

Health and Safety

Based on available information, this product is not expected to produce adverse effects on health when used for the intended application and the recommendations provided in the Material Safety Data Sheet (MSDS) are followed. MSDS's are available upon request through your sales contract office, or via the Internet. This product should not be used for purposes other than its intended use. If disposing of used product, take care to protect the environment.

