

PRODUCT DATA SHEET

VENOS -SAE 5W-40 API SP/CF-4/SM - FULLY SYNTHETIC CRYSTAL

DESCRIPTION

V E N O S SAE 5W-40 API SP/CF-4/SM FULLY SYNTHETIC CRYSTAL is a premium motor oil with a viscosity grade of 5W40. Formulated with high-quality synthetic base oils, it offers superior protection against friction,heat, and engine deposits.Ideal for modern engines, it ensures optimal lubrication and performance in various driving conditions.

APPLICATIONS

5W40 fully is suitable for a wide range of vehicles,5W40 full synthetic is ideal for both gasoline and diesel engines. Its advanced formula provides superior protection in extreme temperatures, ensuring excellent lubrication and engine performance. Use for extended drain intervals, promoting engine longevity and efficiency.

FEATURES AND ADVANTAGES

- Custom-formulated to enhance engine performance
- Keep the engine clean and shield it from corrosion, rust, sludge, and disappearance
- Achieve Japan engine oil standards

PRODUCT PERFORMANCE CLAIM

- API SP/CF,ILSAC GF-6A
- BMW LONGLIFE
- MB 229.5, ACEA C3-10
- MIL_L_4615D & CID A-A-52039B

TECHNICAL DATA PROPERTIES

TEST PARAMETER	METHOD	UNIT	RESULT
Viscosity Grade	SAEJ300	-	5W40
Color	ASTM D1500	1	2.0
Density @15°C	ASTM D4052	kg/m3	0.860
Kinematic Viscosity @40°C	ASTM D7042	mm²/s	76.00
Kinematic Viscosity @100°C	ASTM D7042	mm²/s	13.55
Viscosity Index	ASTM D2270	-	178.0
Flash Point, °C	IP523	°C -	230
Total Base Number	ASTM D2896	(mg koh/gm)	7.90
Pour Point,°C	ASTM D97	°C	-40
Cold Crank Visc @ -30°C	ASTM D5293	(cp)	6440

VALUES SHOWN HERE ARE TYPICAL AND MAY VARY

Health and Safety

Based on available information, this product is not expected to produce adverse effects on health when used for the intended application and the recommendations provided in the Material Safety Data Sheet (MSDS) are followed. MSDS's are available upon request through your sales contract office, or via the Internet. This product should not be used for purposes other than its intended use. If disposing of used product, take care to protect the environment.

